

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## NEW DOUBLE STARS.

Systematic search for new double stars has formed a part of my observing programme for the past two years, with the result, so far, of the discovery of 250 pairs not previously known. Two hundred and three of these pairs have been published in A. N. 3635 and 3668, and in Bulletin No. 3 of the Lick Observatory. Attention has been called to some of the more important pairs of the first two lists in previous numbers of these Publications.

The third list, published in Lick Observatory *Bulletin* No. 3, contains 94 pairs, classified with respect to the distance between their components as follows:—

Under	0".25			•	•		•			3
	0.50		•							23
	I .00									47
	2.00									73
Over	5.00						•		•	I

Two of these pairs are formed from the division of the principal component of the known double stars H 846 and  $\Sigma$  2527.

The measures are:-

A 143.  
R. A. 
$$12^{h}$$
  $10^{m}$   $46^{a}$ ; Decl.  $-7^{\circ}$  26'.  
A and B (New).  
1901.27  $148^{\circ}.8$   $1''.00$   $9.2-10.3$   $3^{n}$ .  
A and  $C = H$  846.  
1901.26  $113^{\circ}.4$   $13''.02$   $9.2-11.5$   $2^{n}$ .  
A 159.  
R. A.  $19^{h}$   $23^{m}$   $0^{s}$ ; Decl.  $+20^{\circ}$  28'.  
A and B (New).  
1909.65  $335^{\circ}.0$   $0''.78$   $8.4-11.7$   $3^{n}$ .  
A and  $C = \Sigma 2527$ .  
1900.61  $18^{\circ}.3$   $4''.26$   $8.4-9.5$   $1^{n}$ .

The two closest pairs in the list are A 162, and A 194, for which I obtain the following results:—

A 162.  
R. A. 19<sup>h</sup> 30<sup>m</sup> 47<sup>s</sup>; Decl. 
$$+23^{\circ}$$
 15'.  
1900.66 144°.6 0''.21 8.2-8.2 3<sup>n</sup>.

Three of the pairs discovered since the lists mentioned above were printed consist of additional components to previously known double stars.

Their measures are as follows: —

R. A. 
$$19^h 7^m 43^s$$
; Decl.  $+24^\circ 23'$  (1880.0).

A and B (New).

 $1901.35 \quad 288^\circ.6 \quad 2''.79 \quad 8.0-13.5 \quad 3^n$ .

A and  $C = \text{Ho. } 446$ .

 $1901.35 \quad 48^\circ.3 \quad 5''.32 \quad 8.0-12.0 \quad 3^n$ .

A and D (New).

 $1901.35 \quad 112^\circ.0 \quad 33''.6 \quad 8.0-15.5 \quad 1^n$ .

D and E (New).

 $1901.35 \quad 118^\circ.8 \quad 5''.38 \quad 15.5-16.0 \quad 1^n$ .

R. A.  $20^h 3^m 38^s$ ; Decl.  $+35^\circ 26'$  (1900.0).

A and  $B = O\Sigma 398$ .

 $1901.53 \quad 77^\circ.3 \quad 0''.96 \quad 7.7-9.7 \quad 1^n$ .

A and C (New).

 $1901.53 \quad 132^\circ.0 \quad 5''.23 \quad 7.7-15.0 \quad 1^n$ .

R. A.  $20^h 7^m 25^s$ ; Decl.  $+34^\circ 7'$  (1880.0).

A and B (New).

 $1901.41 \quad 206^\circ.2 \quad 0''.21 \quad 7.6-7.8 \quad 3^n$ .

AB and  $C = \text{Ho. } 121$ .

 $1901.40 \quad 17^\circ.0 \quad 22''.80 \quad 7.0-11.5 \quad 2^n$ .

September 5, 1901.

R. G. AITKEN.

## SOME RECENT RESULTS SECURED WITH THE MILLS SPECTROGRAPH.\*

The results given below are a few of those recently established by the Mills spectrograph, used in connection with the 36-inch refracting telescope. The majority of the photographs upon which the results depend were made by Assistant Astronomer W. H. Wright, and the remainder by Dr. Reese and myself.

June 20, 1901. W. W. CAMPBELL.

<sup>\*</sup> Reprinted from Bulletin No. 4 of the Lick Observatory.